

AMENDMENT TO THE CLAIMS:

- 1. (Currently Amended) A method for providing security in a computer system, comprising:
 - <u>controlling access to identifying selected information for protection using attributes</u>

 <u>defined in a first table;</u>
 - one of a read and write privilege with one or more indicating at least one physical addresses of a memory that houses the selected information as at least one of read and write disabled;

receiving a request from a program to access the information; and

- allowing accessing to the information in response to determining that the program has the authority to access the information based on at least one of the read and write privilege.
- 2. (Currently Amended) The method of claim 1, wherein controlling access to the selected information based on the privilege indicating at least one physical address of the memory includes comprises:

indicating in the <u>second</u> table that the memory housing the information is at least one of

read and write disabled.

- 3. (Currently Amended) The method of claim 2, wherein the <u>second</u> table is a bitmap based on physical addresses of the memory.
 - 4. (Original) The method of claim 1, wherein the program is an operating system.
- 5. (Currently Amended) The method of claim 1, wherein the <u>selected</u> information is at least one of interrupt descriptor table, global descriptor table, and local descriptor table.
- 6. (Currently Amended) The method of claim 1, wherein allowing accessing to the information in response to determining that the program has the authority to access the information includes using a stack of in the computer system to verify the identity of the program.
 - 7. (Original) A method for providing security, comprising: writing to at least one register to define a privileged memory region;

defining at least one computer instruction as a privileged instruction, wherein the privileged instruction is resident in the privileged memory region;

identifying information for protection;

indicating at least one physical address of a memory that houses the information as at least one of read and write disabled; and

controlling the access to the information using the privileged instruction.

- 8. (Original) The method of claim 7, further including writing to a second register, wherein the first and second registers define the privileged memory region.
- 9. (Original) The method of claim 7, wherein indicating at least one physical address of the memory includes:

generating a table based on the physical addresses of the memory; and indicating in the table that the memory housing the information is at least one of read and write disabled.

- 10. (Original) The method of claim 7, wherein the information is at least one of interrupt descriptor table, global descriptor table, and local descriptor table.
- 11. (Currently Amended) A computer readable program storage device encoded with instructions that, when executed by a computer, performs a method of providing security, comprising:
 - <u>protecting selected identifying</u> information for protectionusing a first level of security <u>specifying access privileges to the selected information;</u>
 - read and write privilege with one or more indicating at least one of a addresses of a memory that houses the selected information as at least one of read and write disabled;

receiving a request from a program to access the selected information; and

accessing the information in response to determining that the program has the authority to access the <u>selected</u> information based at least on the second security level.

12. (Original) The computer readable program storage device of claim 11, wherein indicating at least one physical address of the memory includes:

generating a table based on the physical addresses of the memory; and indicating in the table that the memory housing the information is at least one of read and write disabled.

- 13. (Currently Amended) The computer readable program storage device of claim 12, wherein the table includes an entry specifying access rights to the <u>selected</u> information <u>based</u> on one or more programs desiring to access the selected information.
- 14. (Original) The computer readable program storage device of claim 11, wherein the information is at least one of interrupt descriptor table, global descriptor table, and local descriptor table.
 - 15. (Currently Amended) An apparatus, comprising: a memory comprising:
 - a first level of protection specifying access privileges for selected information; and a privileged code, the privileged code capable of:

<u>based on a second level of protection in which at least one of a read and</u>

write privilege is associated with;

indicating at least one the physical address of a memory housing the information as at least one of read and write disabled;

receiving a request from a program to access the information; and

allowing accessing access to the information in response to determining that the

program has the authority to access the information based on at least one

of the read and write privilege.

16. (Original) The apparatus of claim 15, wherein the privileged code capable of indicating at least one physical address of the memory includes the privileged code being capable of:

generating a table based on the physical addresses of the memory; and indicating in the table that the memory housing the information is at least one of read and write disabled.

- 17. (Original) The apparatus of claim 15, wherein the program is an operating system.
- 18. (Original) The apparatus of claim 15, wherein the information is at least one of interrupt descriptor table, global descriptor table, and local descriptor table.

- 19. (Currently Amended) A system, comprising:
- a processor; and
- a memory coupled to the processor, the memory comprising:
- a table specifying access privileges for selected information; and
- a privileged code capable of:
 - <u>protecting receiving a request to protect access to the</u> selected information

 <u>based a second table specifying association of at least one of a read and write privilege with;</u>

indicating at least one physical address of a memory housing the information-as at least one of read and write disabled;

receiving a request from a program to access the information; and

allowing accessing to the information in response to determining that the program

has the authority to access the information based on at least one of the read

and write privilege.

20. (Original) The system of claim 19, wherein the privileged code capable of indicating at least one physical address of the memory includes the privileged code being capable of:

generating a table based on the physical addresses of the memory; and indicating in the table that the memory housing the information is at least one of read and write disabled.

21. (Original) The system of claim 19, wherein the program is an operating system.

- 22. (Original) The system of claim 19, wherein the information is at least one of interrupt descriptor table, global descriptor table, and local descriptor table.
 - 23. (Original) The system of claim 19, wherein the processor is an x86 processor.
 - 24. (Currently Amended) An apparatus for providing security, comprising:
 - means for providing a first table of at least write protection for selected identifying information for protection;
 - means for providing a second table of at least one of read and write protection for the selected information associated with one or more indicating at least one physical addresses of a memory that houses the selected information as at least one of read and write disabled;

means for receiving a request from a program to access the information; and

means for allowing access to accessing the information in response to determining that

the program has the authority to access the information based on at least the first

and second tables.